Regulatory Peptides, 33 (1991) 351–353

© 1991 Elsevier Science Publishers B.V. 0167-0115/91/$03.50

Author index

Afione, S., see Seilicovich, A., 39
Akpan, J.O., see Gingerich, R.L., 275
Albrecht, E., see Berger, H., 299
Alessandri, M., see Geppetti, P., 321
Ami, M., see Chowdhury, P., 11
Armstrong, E.P., see Eedy, D.J., 175
Arruda, J.A.L., see Sack, E.M., 339
Baeger, I., see Berger, H., 299
Bailey, C.J., see Flatt, P.R., 313
Barbosa, J.A., see Gill, B.M., 223
Berger, H., Heinrich, N., Albrecht, E., Kertscher, U., Oehlke, J., Bienert, M., Schäfer, H., Baeger, I. and Mehlis, B., Gonadotropin-relasing hormone (GnRH) analogs: relationship between their structure, proteolytic inactivation and pharmacokinetics in rats, 299
Bienert, M., see Berger, H., 299
Bredkjær, H.E., Rønnov-Jessen, D., Fahrenkrug, L., Ekblad, E. and Fahrenkrug, J., Expression of prepro VIP-derived peptides in the human gastrointestinal tract: a biochemical and immunocytochemical study, 145
Bråtveit, M. and Helle, K.B., Inhibition by VIP and atriopeptin II on the field stimulation evoked release of [^{3}H]noradrenaline in the rat portal vein, 331
Buchanan, K.D., see Eedy, D.J., 175
Buchanan, K.D., see McGrath-Linden, S.J., 55
Calvo, E.L., see Iovanna, J.L., 165
Calvo, J.R., see Segura, J.J., 133
Carmena, M.J., Hueso, C., Guijarro, L.G. and Prieto, J.C., Cholesterol modulation of membrane fluidity and VIP receptor/effector system in rat prostatic epithelial cells, 287
Chan, J.Y.H., see Lin, S.-S., 239
Chan, S.H.H., see Lin, S.-S., 239
Chowdhury, P., Ami, M., Hosotani, R. and Rayford, P.L., Meal-stimulated exocrine pancreatic secretion and release of GI peptides in normal and nicotine-treated rats, 11
Conlon, J.M., see Flatt, P.R., 313
Conlon, J.M., see Kage, R., 191
Dagorn, J.-C., see Iovanna, J.L., 165
Debeljuk, L., see Seilicovich, A., 39
Demura, H., see Yamauchi, N., 71
Diaz, M.C., see Seilicovich, A., 39
Dinh, T.Q., see Gill, B.M., 223
Drapeau, G., see Geppetti, P., 321
Dutriez, I., see Sales, N., 209
Duvilanski, B., see Seilicovich, A., 39
Eedy, D.J., Shaw, C., Johnston, C.F., Armstrong, E.P. and Buchanan, K.D., Neuropeptides of the primary sensory neurones in rat skin: an ontogenic study, 175
Ekblad, E., see Bredkjær, H.E., 145
Fahrenkrug, J., see Bredkjær, H.E., 145
Fahrenkrug, L., see Bredkjær, H.E., 145
Fanciullacci, M., see Geppetti, P., 321
Fischer, W.H., see Lovejoy, D.A., 105
Flatt, P.R., Swanston-Flatt, S.K., Bailey , C.J., McGregor, G.P. and Conlon, J.M., Substance P, neurokinin A and calcitonin gene-related peptide during development of the rat gastrointestinal tract, 313
Flynn, T.G., see Pang, S.C., 1
Fusco, B.M., see Geppetti, P., 321
Gao, G.C., see Wei, E.T., 93
Garcia, R., see Lachance, D., 31
Garrod, S., see Gill, B.M., 223
Geppetti, P., Fusco, B.M., Alessandri, M., Tramontana, M., Maggi, C.A., Drapeau, G., Fanciullacci, M. and Regoli, D., Kallidin applied to the human nasal mucosa produces algesic response not blocked by capsaicin desensitization, 321
Ghost, A., see Mahata, S.K., 183
Gilbert, W.R., see Gingerich, R.L., 275
Gill, B.M., Barbosa, J.A., Dinh, T.Q., Garrod, S. and O'Connor, D.T., Chromogranin B: isolation from pheochromocytoma, N-terminal sequence, tissue distribution and secretory vesicle processing, 223
Gingerich, R.L., Akpan, J.O., Leith, K.M. and Gilbert, W.R., Patterns of immunoreactive pancreatic polypeptide in human plasma, 275
Goberna, R., see Segura, J.J., 133
Grove, K.L., see Rowe, B.P., 45
Guerrero, J.M., see Segura, J.J., 133

Guijarro, L.G., see Carmena, M.J., 287
Heinrich, N., see Berger, H., 299
Helle, K.B., see Brâtveit, M., 331
Hosotani, R., see Chowdhury, P., 11
Hueso, C., see Carmena, M.J., 287
Hughes, C., see Sellitti, D.F., 199
Iovanna, J.L., Calvo, E.L. and Dagorn, J.-C., Transcriptional regulation by cholecystokinin-pancreozymin in rat pancreas, 165
Izzo, R.S., Scipione, R.A., Pellecchia, C. and Lokchander, R.S., Binding and internalization of VIP in rat intestinal epithelial cells, 21
Jennings, D.B., see Pang, S.C., 1
Johnston, C.F., see Eedy, D.J., 175
Johnston, C.F., see McGrath-Linden, S.J., 55
Kage, R., O'Harte, F., Thim, L. and Conlon, J.M., Rabbit neuromedin U-25: lack of conservation of a posttranslational processing site, 191
Kertscher, U., see Berger, H., 299
Lachance, D. and Garcia, R., Atrial natriuretic factor release during acute infusion of isoproterenol in the conscious rat, 31
Lacroix, J.S., see Stjärne, P., 251
Lance, V., see Lovejoy, D.A., 105
Lasaga, M., see Seilicovich, A., 39
LeRoith, D., see Masters, B.A., 117
Leith, K.M., see Gingerich, R.L., 275
Lin, S.-S., Chan, J.Y.H. and Chan, S.H.H., Facilitation of baroreceptor reflex response by endogenous somatostatin in the rat, 239
Ling, N., see Yamauchi, N., 71
Lokchander, R.S., see Izzo, R.S., 21
Lovejoy, D.A., Fischer, W.H., Parker, D.B., McRory, J.E., Park, M., Lance, V., Swanson, P., Rivier, J.E. and Sherwood, N.M., Primary structure of two forms of gonadotropin-releasing hormone from brains of the American alligator (*Alligator mississippiensis*), 105
Lundberg, J.M., see Stjärne, P., 251
Maggi, C.A., see Geppetti, P., 321
Mahata, S.K. and Ghosh, A., Neural influence on oxytocin-induced changes of adrenomedullary catecholamines in the pigeon, 183
Masters, B.A., Werner, H., Roberts, C.T., Jr., LeRoith, D. and Raizada, M.K., Insulin-like growth factor I (IGF-I) receptors and IGF-I action in oligodendrocytes from rat brains, 117
Maziere, B., see Sales, N., 209
McGrath-Linden, S.J., Johnston, C.F., O'Connor, D.T., Shaw, C. and Buchanan, K.D., Pancreastatin-like immunoreactivity in human carcinoid disease, 55
McGregor, G.P., see Flatt, P.R., 313
McRory, J.E., see Lovejoy, D.A., 105
Mehlis, B., see Berger, H., 299
O'Connor, D.T., see Gill, B.M., 223
O'Connor, D.T., see McGrath-Linden, S.J., 55
O'Harte, F., see Kage, R., 191
Oehlke, J., see Berger, H., 299
Ogawa, N., see Sato, H., 81
Ota, Z., see Sato, H., 81
Ottaviani, M., see Sales, N., 209
Pang, S.C., Sarda, I.R., Wigle, D.A., Zhou, Z.-J., Jennings, D.B. and Flynn, T.G., Plasma clearance and tissue binding of $rANP_{[99-126]}$ and iso-$rANP_{[1-45]}$ in the rat, 1
Park, M., see Lovejoy, D.A., 105
Parker, D.B., see Lovejoy, D.A., 105
Pellecchia, C., see Izzo, R.S., 21
Pelletier, G., see Tong, Y., 263
Pisera, D., see Seilicovich, A., 39
Prieto, J.C., see Carmena, M.J., 287
Raizada, M.K., see Masters, B.A., 117
Rayford, P.L., see Chowdhury, P., 11
Regoli, D., see Geppetti, P., 321
Rhéaume, E., see Tong, Y., 263
Rivier, J.E., see Lovejoy, D.A., 105
Roberts, C.T., Jr., see Masters, B.A., 117
Rønnov-Jessen, D., see Bredkjær, H.E., 145
Roques, B.P., see Sales, N., 209
Rowe, B.P., Grove, K.L., Saylor, D.L. and Speth, R.C., Discrimination of angiotensin II receptor subtype distribution in the rat brain using non-peptidic receptor antagonists, 45
Sack, E.M. and Arruda, J.A.L., Epidermal growth factor binding to cortical basolateral membranes in compensatory renal hypertrophy, 339
Sales, N., Dutriez, I., Maziere, B., Ottaviani, M. and Roques, B.P., Neutral endopeptidase 24.11 in rat peripheral tissues: comparative localization by 'ex vivo' and 'in vitro' autoradiography, 209
Sarda, I.R., see Pang, S.C., 1
Sato, H., Ota, Z. and Ogawa, N., Somatostatin receptors in the senescent rat brain: a quantitative autoradiographic study, 81
Saylor, D.L., see Rowe, B.P., 45
Schäfer, H., see Berger, H., 299
Scipione, R.A., see Izzo, R.S., 21
Segura, J.J., Guerrero, J.M., Goberna, R. and Calvo, J.R., Characterization of functional receptors for vasoactive intestinal peptide (VIP) in rat peritoneal macrophages, 133
Seilicovich, A., Duvilanski, B., Debeljuk, L., Lasaga, M., Pisera, D., Afione, S., Traktenberg, R. and Diaz, M.C., Possible role

of vasoactive intestinal peptide in the hyperprolactinemia induced by ethanol, 39
Sellitti, D.F. and Hughes, C., Amiloride differentially modulates ANP binding in human thyroid cells and bovine endothelial cells, 199
Shaw, C., see Eedy, D.J., 175
Shaw, C., see McGrath-Linden, S.J., 55
Sherwood, N.M., see Lovejoy, D.A., 105
Shibasaki, T., see Yamauchi, N., 71
Simard, J., see Tong, Y., 263
Speth, R.C., see Rowe, B.P., 45
Stjärne, P., Lacroix, J.S., Änggård, A. and Lundberg, J.M., Release of calcitonin gene-related peptide in the pig nasal mucosa by antidromic nerve stimulation and capsaicin, 251
Swanson, P., see Lovejoy, D.A., 105
Swanston-Flatt, S.K., see Flatt, P.R., 313
Thim, L., see Kage, R., 191
Tong, Y., Rhéaume, E., Simard, J. and Pelletier, G., Localization of peripheral benzodiazepine binding sites and diazepam-binding inhibitor (DBI) mRNA in mammary glands and dimethylbenz(α)antracene (DMBA)-induced mammary tumors in the rat, 263
Traktenberg, R., see Seilicovich, A., 39
Tramontana, M., see Geppetti, P., 321
Wei, E.T. and Gao, G.C., Corticotropin-releasing factor: an inhibitor of vascular leakage in rat skeletal muscle and brain cortex after injury, 93
Werner, H., see Masters, B.A., 117
Wigle, D.A., see Pang, S.C., 1
Yamauchi, N., Shibasaki, T., Ling, N. and Demura, H., In vitro release of growth hormone releasing factor (GRF) from the hypothalamus: somatostatin inhibits GRF release, 71
Zhou, Z.-J., see Pang, S.C., 1
Änggård, A., see Stjärne, P., 251

Regulatory Peptides, 33 (1991) 354–357
© 1991 Elsevier Science Publishers B.V. 0167-0115/91/$03.50

Key word index

Adrenal medulla; Secretogranin, 223

Adrenalectomy; CRF, corticotropin-releasing factor; Muscle; Brain; Edema; Anti-inflammatory; Monastral blue; Dexamethasone; Inhibition; Vascular permeability, 93

Adrenomedullary catecholamine; Oxytocin; Splanchnic nerve; Pigeon, 183

Alligator brain; Reproduction; GnRH; Reptile; Amino acid sequence; Brain peptide; HPLC, 105

Amanitin, α; RNA synthesis; Gene expression; Run-on experiment, 165

Amiloride; Thyroid cell; Endothelial cell; ANP receptor, 199

Amino acid sequence; Reproduction; GnRH; Reptile; Alligator brain; Brain peptide; HPLC, 105

AMP production, cyclic; VIP receptor; Rat peritoneal macrophage, 133

AMP, cyclic; Vasoactive intestinal peptide; Membrane lipid bilayer; Prostatic epithelium, 287

Angiotensin II receptor; Receptor subtype; Rat brain; DuP 753; PD123177; Receptor autoradiography, 45

ANP receptor; Amiloride; Thyroid cell; Endothelial cell, 199

ANP, iso-; Atrial natriuretic peptide; ANP; Plasma clearance; Tissue binding; Autoradiography, 1

ANP; Atrial natriuretic peptide; ANP, iso-; Plasma clearance; Tissue binding; Autoradiography, 1

Anterior pituitary; VIP; VIP serum, anti-; Ethanol; Prolactin; Hypothalamus; VIP release, 39

Anti-inflammatory; CRF, corticotropin-releasing factor; Muscle; Brain; Edema; Monastral blue; Adrenalectomy; Dexamethasone; Inhibition; Vascular permeability, 93

Antidromic nerve stimulation; Nasal mucosa; Capsaicin; CGRP release, 251

Atrial natriuretic peptide; ANP; ANP, iso-; Plasma clearance; Tissue binding; Autoradiography, 1

Atrial natriuretic factor; Isoproterenol; Chronotropic effect; Ionotropic effect, 31

Atrial natriuretic peptide; Endopeptidase, neutral; Enzyme localization; Autoradiography, 209

Atrial natriuretic peptide; Calcitonin gene-related peptide; Presynaptic inhibition; Vasoactive intestinal peptide, 331

Autoradiography; Atrial natriuretic peptide; ANP; ANP, iso-; Plasma clearance; Tissue binding, 1

Autoradiography; Endopeptidase, neutral; Enzyme localization; Atrial natriuretic peptide, 209

Bacitracin; Calcium; Magnesium; Endocytosis; Hormone–receptor interaction, 21

Baroreceptor reflex; Somatostatin; Somatostatin antagonist and antiserum; Nucleus of tractus solitarius; Rat, 239

Benzodiazepine receptor; Diazepam-binding inhibitor; In situ hybridization; Mammary gland; Mammary tumor, 263

Biosynthetic processing; Human gut; VIP-precursor; Radioimmunoassay; HPLC; Immunocytochemistry, 145

Bradykinin; Substance P; Neurokinin A; Pain; Sensory neuron, 321

Brain peptide; Reproduction; GnRH; Reptile; Alligator brain; Amino acid sequence; HPLC, 105

Brain; CRF, corticotropin-releasing factor; Muscle; Edema; Anti-inflammatory; Monastral blue; Adrenalectomy; Dexamethasone; Inhibition; Vascular permeability, 93

Calcitonin gene-related peptide; Substance P; Neurokinin A; Peptide histidine isoleucine; Radioimmunoassay; Cutaneous nerve, 175

Calcitonin gene-related peptide; Atrial natriuretic peptide; Presynaptic inhibition; Vasoactive intestinal peptide, 331

Calcium; Magnesium; Bacitracin; Endocytosis; Hormone–receptor interaction, 21

Capsaicin; Nasal mucosa; Antidromic nerve stimulation; CGRP release, 251

Carcinoid syndrome; Chromogranin A; Immuno-

histochemistry; Radioimmunoassay; Western blotting; Gel-filtration chromatography; HPLC, 55
Central nervous system; Somatostatin receptor; Senescence; Receptor autoradiography; Quantitative study; Rat, 81
CGRP release; Nasal mucosa; Antidromic nerve stimulation; Capsaicin, 251
Chromogranin A; Carcinoid syndrome; Immunohistochemistry; Radioimmunoassay; Western blotting; Gel-filtration chromatography; HPLC, 55
Chronotropic effect; Atrial natriuretic factor; Isoproterenol; Ionotropic effect, 31
CRF, corticotropin-releasing factor; Muscle; Brain; Edema; Anti-inflammatory; Monastral blue; Adrenalectomy; Dexamethasone; Inhibition; Vascular permeability, 93
Cutaneous nerve; Substance P; Calcitonin gene-related peptide; Neurokinin A; Peptide histidine permeability; Radioimmunoassay, 175
Depolarization; Perifusion, 71
Dexamethasone; CRF, corticotropin-releasing factor; Muscle; Brain; Edema; Anti-inflammatory; Monastral blue; Adrenalectomy; Inhibition; Vascular permeability, 93
Diazepam-binding inhibitor; Benzodiazepine receptor; In situ hybridization; Mammary gland; Mammary tumor, 263
Differentiation; IGF-I receptor; Oligodendrocyte; Glial progenitor; Multiplication, 117
DuP 753; Angiotensin II receptor; Receptor subtype; Rat brain; PD123177; Receptor autoradiography, 45
Edema; CRF, corticotropin-releasing factor; Muscle; Brain; Anti-inflammatory; Monastral blue; Adrenalectomy; Dexamethasone; Inhibition; Vascular permeability, 93
Effect of nicotine; Food stimulated; Plasma gastrin; Plasma CCK; Exocrine pancreatic secretion, 11
Endocytosis; Calcium; Magnesium; Bacitracin; Hormone–receptor interaction, 21
Endopeptidase, neutral; Enzyme localization; Autoradiography; Atrial natriuretic peptide, 209
Endothelial cell; Amiloride; Thyroid cell; ANP receptor, 199
Enzyme localization; Endopeptidase, neutral; Autoradiography; Atrial natriuretic peptide, 209
Ethanol; VIP; VIP serum, anti-; Prolactin; Hypothalamus; Anterior pituitary; VIP release, 39
Exocrine pancreatic secretion; Effect of nicotine; Food stimulated; Plasma gastrin; Plasma CCK, 11
Food stimulated; Effect of nicotine; Plasma gastrin; Plasma CCK; Exocrine pancreatic secretion, 11
Gel-filtration chromatography; Carcinoid syndrome; Chromogranin A; Immunohistochemistry; Radioimmunoassay; Western blotting; HPLC, 55
Gene expression; RNA synthesis; Amanitin, α; Run-on experiment, 165
Glial progenitor; IGF-I receptor; Oligodendrocyte; Differentiation; Multiplication, 117
GnRH; Reproduction; Reptile; Alligator brain; Amino acid sequence; Brain peptide; HPLC, 105
Hormone–receptor interaction; Calcium; Magnesum; Bacitracin; Endocytosis, 21
HPLC; Biosynthetic processing; Human gut; VIP-precursor; Radioimmunoassay; Immunocytochemistry, 145
HPLC; Carcinoid syndrome; Chromogranin A; Immunohistochemistry; Radioimmunoassay; Western blotting; Fel-filtration chromatography, 55
HPLC; Neuromedin U; Rabbit intestine; Primary structure; Radioimmunoassay, 191
HPLC; Reproduction; GnRH; Reptile; Alligator brain; Amino acid sequence; Brain peptide, 105
Human gut; Biosynthetic processing; VIP-precursor; Radioimmunoassay; HPLC; Immunocytochemistry, 145
Hypothalamus; VIP; VIP serum, anti-; Ethanol; Prolactin; Anterior pituitary; VIP release, 39
IGF-I receptor; Oligodendrocyte; Glial progenitor; Differentiation; Multiplication, 117
Immunocytochemistry; Biosynthetic processing; Human gut; VIP-precursor; Radioimmunoassay; HPLC, 145
Immunohistochemistry; Carcinoid syndrome; Chromogranin A; Radioimmunoassay; Western blotting; Gel-filtration chromatography; HPLC, 55
In situ hybridization; Benzodiazepine receptor; Diazepam-binding inhibitor; Mammary gland; Mammary tumor, 263
Inhibition; CRF, corticotropin-releasing factor; Muscle; Brain; Edema; Anti-inflammatory; Monastral blue; Adrenalectomy; Dexamethasone; Vascular permeability, 93
Intestine; Regulatory peptide; Stomach; Tachykinin, 313

Ionotropic effect; Atrial natriuretic factor; Isoproterenol; Chronotropic effect, 31
Isoproterenol; Atrial natriuretic factor; Chronotropic effect; Ionotropic effect, 31
Kidney growth; Na-H antiporter; Receptor, 339
LHRH; Proteolysis; Pharmacokinetics, 299
Magnesium; Calcium; Bacitracin; Endocytosis; Hormone–receptor interaction, 21
Mammary gland; Benzodiazepine receptor; Diazepam-binding inhibitor; In situ hybridization; Mammary tumor, 263
Mammary tumor; Benzodiazepine receptor; Diazepam-binding inhibitor; In situ hybridization; Mammary gland, 263
Membrane lipid bilayer; Vasoactive intestinal peptide; AMP, cyclic; Prostatic epithelium, 287
Monastral blue; CRF, corticotropin-releasing factor; Muscle; Brain; Edema; Anti-inflammatory; Adrenalectomy; Dexamethasone; Inhibition; Vascular permeability, 93
Multiplication; IGF-I receptor; Oligodendrocyte; Glial progenitor; Differentiation, 117
Muscle; CRF, corticotropin-releasing factor; Brain; Edema; Anti-inflammatory; Monastral blue; Adrenalectomy; Dexamethasone; Inhibition; Vascular permeability, 93
Na-H antiporter; Kidney growth; Receptor, 339
Nasal mucosa; Antidromic nerve stimulation; Capsaicin; CGRP release, 251
Neurokinin A; Substance P; Calcitonin gene-related peptide; Peptide histidine isoleucine; Radioimmunoassay; Cutaneous nerve, 175
Neurokinin A; Bradykinin; Substance P; Pain; Sensory neuron, 321
Neuromedin U; Rabbit intestine; Primary structure; HPLC; Radioimmunoassay, 191
Nucleus of tractus solitarius; Somatostatin; Somatostatin antagonist and antiserum; Baroreceptor reflex; Rat, 239
Oligodendrocyte; IGF-I receptor; Glial progenitor; Differentiation; Multiplication, 117
Oxytocin; Splanchnic nerve; Adrenomedullary catecholamine; Pigeon, 183
Pain; Bradykinin; Substance P; Neurokinin A; Sensory neuron, 321
Pancreatic polypeptide; Plasma form, 275
PD123177; Angiotensin II receptor; Receptor subtype; Rat brain; DuP 753; Receptor autoradiography, 45
Peptide histidine isoleucine; Substance P; Calcitonin gene-related peptide; Neurokinin A; Radioimmunoassay; Cutaneous nerve, 175
Perifusion; Depolarization, 71
Pharmacokinetics; LHRH; Proteolysis, 299
Pigeon; Oxytocin; Splanchnic nerve; Adrenomedullary catecholamine, 183
Plasma CCK; Effect of nicotine; Food stimulated; Plasma gastrin; Exocrine pancreatic secretion, 11
Plasma clearance; Atrial natriuretic peptide; ANP; ANP, iso-; Tissue binding; Autoradiography, 1
Plasma form; Pancreatic polypeptide, 275
Plasma gastrin; Effect of nicotine; Food stimulated; Plasma CCK; Exocrine pancreatic secretion, 11
Presynaptic inhibition; Atrial natriuretic peptide; Calcitonin gene-related peptide; Vasoactive intestinal peptide, 331
Primary structure; Neuromedin U; Rabbit intestine; HPLC; Radioimmunoassay, 191
Prolactin; VIP; VIP serum; anti-; Ethanol; Hypothalamus; Anterior pituitary; VIP release, 39
Prostatic epithelium; Vasoactive intestinal peptide; AMP, cyclic; Membrane lipid bilayer, 287
Proteolysis; LHRH; Pharmacokinetics, 299
Quantitative study; Somatostatin receptor; Senescence; Receptor autoradiography; Rat; Central nervous system, 81
Rabbit intestine; Neuromedin U; Primary structure; HPLC; Radioimmunoassay, 191
Radioimmunoassay; Carcinoid syndrome; Chromogranin A; Immunohistochemistry; Western blotting; Gel-filtration chromatography; HPLC, 55
Radioimmunoassay; Biosynthetic processing; Human gut; VIP-precursor; HPLC; Immunocytochemistry, 145
Radioimmunoassay; Substance P; Calcitonin gene-related peptide; Neurokinin A; Peptide histidine isoleucine; Cutaneous nerve, 175
Radioimmunoassay; Neuromedin U; Rabbit intestine; Primary structure; HPLC, 191
Rat brain; Angiotensin II receptor; Receptor subtype; DuP 753; PD123177; Receptor autoradiography, 45
Rat peritoneal macrophage; VIP receptor; AMP production, cyclic, 133
Rat; Somatostatin receptor; Senescence; Receptor autoradiography; Quantitative study; Central nervous system, 81
Rat; Somatostatin; Somatostatin antagonist and antiserum; Baroreceptor reflex; Nucleus of tractus solitarius, 239
Receptor autoradiography; Angiotensin II receptor; Receptor subtype; Rat brain; DuP 753; PD123177, 45
Receptor autoradiography; Somatostatin recep-

tor; Senescence; Quantitative study; Rat; Central nervous system, 81
Receptor subtype; Angiotensin II receptor; Rat brain; DuP 753; PD123177; Receptor autoradiography, 45
Receptor; Na-H antiporter; Kidney growth, 339
Regulatory peptide; Intestine; Stomach; Tachykinin, 313
Reproduction; GnRH; Reptile; Alligator brain; Amino acid sequence; Brain peptide; HPLC, 105
Reptile; Reproduction; GnRH; Alligator brain; Amino acid sequence; Brain peptide; HPLC, 105
RNA synthesis; Gene expression; Amanitin, α; Run-on experiment, 165
Run-on experiment; RNA synthesis; Gene expression; Amanitin, α, 165
Secretogranin; Adrenal medulla, 223
Senescence; Somatostatin receptor; Receptor autoradiography; Quantitative study; Rat; Central nervous system, 81
Sensory neuron; Bradykinin; Substance P; Neurokinin A; Pain, 321
Somatostatin receptor; Senescence; Receptor autoradiography; Quantitative study; Rat; Central nervous system, 81
Somatostatin; Somatostatin antagonist and antiserum; Baroreceptor reflex; Nucleus of tractus solitarius; Rat, 239
Somatostatin antagonist and antiserum; Somatostatin; Baroreceptor reflex; Nucleus of tractus solitarius; Rat, 239
Splanchnic nerve; Oxytocin; Adrenomedullary catecholamine; Pigeon, 183
Stomach; Intestine; Regulatory peptide; Tachykinin, 313
Substance P; Calcitonin gene-related peptide; Neurokinin A; Peptide histidine isoleucine; Radioimmunoassay; Cutaneous nerve, 175
Substance P; Bradykinin; Neurokinin A; Pain; Sensory neuron, 321
Tachykinin; Intestine; Regulatory peptide; Stomach, 313
Thyroid cell; Amiloride; Endothelial cell; ANP receptor, 199
Tissue binding; Atrial natriuretic peptide; ANP; ANP, iso-; Plasma clearance; Autoradiography, 1
Vascular permeability; CRF, corticotropin-releasing factor; Muscle; Brain; Edema; Anti-inflammatory; Monastral blue; Adrenalectomy; Dexamethasone; Inhibition, 93
Vasoactive intestinal peptide; AMP, cyclic; Membrane lipid bilayer; Prostatic epithelium, 287
Vasoactive intestinal peptide; Atrial natriuretic peptide; Calcitonin gene-related peptide; Presynaptic inhibition, 331
VIP; VIP serum, anti-; Ethanol; Prolactin; Hypothalamus; Anterior pituitary; VIP release, 39
VIP receptor; Rat peritoneal macrophage; AMP production, cyclic, 133
VIP release; VIP; VIP serum, anti-; Ethanol; Prolactin; Hypothalamus; Anterior pituitary, 39
VIP serum, anti-; VIP; Ethanol; Prolactin; Hypothalamus; Anterior pituitary; VIP release, 39
VIP-precursor; Biosynthetic processing; Human gut; Radioimmunoassay; HPLC; Immunocytochemistry, 145
Western blotting; Carcinoid syndrome; Chromogranin A; Immunohistochemistry; Radioimmunoassay; Gel-filtration chromatography; HPLC, 55